	L #	Hits	Search Text
1	L1	1659	(display\$3 view\$3) with (current exist present) adj3 (record file document message email mail)
2	L2	570	<pre>configur\$5 with (identifier id tag number) with (associat\$2 related correpon\$4 referenc\$3) with (record file document message email mail)</pre>
3	L3	5	1 and 2
4	Ь4	0	1 and 2 and (marker label)
5	L6	91	synchroniz\$5 with (frame packet cell datagram) same (parent header) with first with second
6	L 7	9	synchroniz\$5 with (frame packet cell datagram) same (parent header) with first with second same (variables parameters attributes)
7	L9	1	synchroniz\$5 with (frame packet cell datagram) same (parent header) with first with second same (variables parameters attributes) and (command\$3 instructions script control adj information) same (frame packet cell datagram) same (parent header) with first with second
8	L5	5	1 and 2 and (command\$3 script\$3 frame cell template button browser parent)
9	L10	1498	(display\$3 view\$3 present\$6) with (current exist) adj3 (record file document message email mail)
10	L11	27	(set list) adj3 (identifier id tag marker indicator pointer) with (associat\$2 related correpon\$4 referenc\$3) with (record file document message email mail) with (current exist)
11	L12	3	10 and 11

BEST AVAILABLE COPY

	L #	Hits	Search Text
1	L1	5427	<pre>(marker pointer vector indicator) with (current\$2 exist) with (file document message id identifier address)</pre>
2	L2	684	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (current\$2 exist) with (file document message id identifier address record)
3	L3	116	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (current\$2 exist) with (file document message id identifier address record) same (configur\$5 display\$3 view\$3 option\$2 menu)
4	L4	24236	(button icon) with (command\$3 script applet application program)
5	L5	21	3 and 4
6	L6	39	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (current\$2 exist) with (file document message id identifier address record) same (configur\$5 display\$3 view\$3 option\$2 menu) same (command\$3 script applet application program)
7	L7	2	6 and 4
8	L8	13	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (current\$2 exist) with (file document message record\$3) with (id identifier number) same (configur\$5 display\$3 view\$3 option\$2 menu)
9	L9	4	8 and 4
10	L11	43	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (id identifier number) with (current\$2 exist) near5 (file document message record\$3 page)
11	L12	6082	(current\$2 exist) near5 (file document message record\$3 page) with (configur\$5 display\$3 view\$3 option\$2 menu)
12	L13	17	11 and 12
13	L10	15	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (id identifier number) same (current\$2 exist) near5 (file document message record\$3 page) with (configur\$5 display\$3 view\$3 option\$2 menu)

	L #	Hits	Search Text
14	L14	142	(current\$2 exist) near5 (file document message record\$3 page) with configur\$5 with (display\$3 view\$3 option\$2 menu)
15	L15	0	(13 10) and 14
16	L17	12	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (id identifier number) with (current\$2 exist) near5 (file document message record\$3 page) same (list table database)
17	L16	2	(marker pointer vector indicator) with (associat\$2 correponding relat\$3 accord\$4) with (id identifier number) same (current\$2 exist) near5 (file document message record\$3 page) with (configur\$5 display\$3 view\$3 option\$2 menu) same (list table database)
18	L18	4	17 and 12

	L #	Hits	Search Text
1	L1	158	(eamil mail electrnoic adj message) with status same (parameter variable attribute id dientifier)
2	L2	89	1 and (client user subscriber consumer) adj3 (software program application script applet)
3	L3	178	(email mail electronic adj message) with status same (parameter variable attribute id dientifier)
4	L4	98	3 and (client user subscriber consumer) adj3 (software program application script applet)
5	L5	26	4 and (subprogram subroutine parent)
6	L6	12	5 and synchroniz\$5